BENCHTOP SERIES PRODUCTS

BENCH GRINDERS

- Multipositioning light has adjustable shade that can be positioned at any angle.
- Spark arrestor is easy to adjust for controlling sparks.
- Eye shields are easy to adjust and shatter resistant.
- Rear-mounted chutes direct residue away from the user.

MATERIAL NUMBER	17201	17202	17203	17204	17205
DESCRIPTION	6" BENCH GRINDER	8" BENCH GRINDER	6" BENCH GRINDER W/2 WHEELS	6" BENCH GRINDER W/ WIRE WHEEL	8" BENCH GRINDER
SPECIFICATIONS	1/2 HP	1 HP	1/2 HP	1/2 HP	1 HP
	3.2 AMP	7.7 AMP	2.8 AMP	2.8 AMP	5.0 AMP
	–	–	–	3450 RPM	–

DISC SANDER

- Wheel table and belt table adjust from 0-45 degrees for bevel sanding.
- Miter gauge included for accurate sanding and straight edges.
- Dust collection port allows easy connection to dust collector for a clean work area.

MATERIAL NUMBER	91046	
DESCRIPTION	1" X 30" BELT / 5" DISC SANDER	
SPECIFICATIONS	Belt 3150 SFM	Disc 3450 RPM

DISC SANDER

- Wheel table and belt table adjust from 0-45 degrees for bevel sanding.
- Belt bed adjust from horizontal to vertical for different applications.
- Tilting fence allows work support while sanding at an angle.

MATERIAL NUMBER	99175
DESCRIPTION	4" x 36" BELT / 8" DISC SANDER
SPECIFICATIONS	4/5 HP

MITER SAW

- Die cast aluminum table and back fence for additional strength and durability.
- Electric brake stops blade after cut is finished to promote safety.
- Extension wings provide additional work support.

MATERIAL NUMBER	91054	
DESCRIPTION	10" MITER SAW W/ LASER	
SPECIFICATIONS	15 AMP	4.500 RPM

TABLESAW

- Sturdy steel stand provides extra work bench area and convenient work height.
- Large 16-1/4" x 26" table provides a plentiful work surface.
- Front and rear locking rip fence provides accurate cuts.

MATERIAL NUMBER	99133	
DESCRIPTION	10" TABLE SAW W/ LEG STAND	
SPECIFICATIONS	13 AMP	5000 RPM

SPINDLE SANDER

- Large 20" x 14" work table supports larger workpieces.
- Dual action spindle simultaneously spins and oscillates 5/8" for fast, burn-free sanding.
- Storage on base for rubber sanding drums, sanding sleeves, and spacer rings.

MATERIAL NUMBER	99179	
DESCRIPTION	OSCILLATING SPINDLE SANDER	
SPECIFICATIONS	1/3 HP	1700 RPM

BENCHTOP SERIES PRODUCTS

6-1/8" JOINTER

- 2 knife cutter head for accurate, smooth cuts.
- 0-45 degrees tilting fence for adjustable work support.

MATERIAL NUMBER	99158
DESCRIPTION	6 1/8" BENCHTOP JOINTER
SPECIFICATIONS	13 AMP
	10,000 RPM
	20,000 CPM
	6-1/8" working width
	3/32" max cut depth

4-1/2" WET TILE SAW

- 15-3/4" x 15-1/4" table for large work area.
- 3 position bevel adjustment.
- 1" cutting depth for thick working capacity.

MATERIAL NUMBER	99144
DESCRIPTION	4-1/2" WET TILE SAW
SPECIFICATIONS	3.5 AMP
	5,000 RPM

9" BAND SAW

- Die cast aluminum work table adjusts from 0-45 degrees for angled cuts.
- Quick release tension knob makes tension adjustments and blade changes quick and simple.
- 2 speeds for varying work applications.
- Flexible work light allows you to illuminate the work piece.

MATERIAL NUMBER	99162
DESCRIPTION	9" BAND SAW W/ LIGHT
SPECIFICATIONS	2,200 SFM
	1/3 HP
	Ball bearing induction motor

12-1/2" PLANER

- Sturdy steel stand provides extra work bench area and convenient work height.

MATERIAL NUMBER	99182
DESCRIPTION	12.5" THICKNESS PLANER W/ LEG STAND
SPECIFICATIONS	9,000 RPM
	18,000 CPM
	3/16" - 6" working thickness
	12.5" working width

14" ABRASIVE CHOP SAW

- Quick lock/release vise for secure work holding and quick set-ups.
- Adjustable fence for miter cuts up to 45 degrees.
- Adjustable depth stops for repetitive cuts.
- Wheel lock for quick wheel changes.

MATERIAL NUMBER	99174
DESCRIPTION	14" ABRASIVE CHOP SAW
SPECIFICATIONS	15 AMP
	2,800 RPM
	2.5 HP

16" SCROLL SAW

- Accepts both pin and plain end blades for convenience.
- Die cast aluminum work table tilts 0-45 degrees for bevel cutting and other intricate cuts.
- Flexible work light allows you to illuminate the work piece.

MATERIAL NUMBER	99166
DESCRIPTION	WILTON 16" SCROLL SAW
SPECIFICATIONS	500 - 1,700 SPM
	10" x 16-1/4" table
	1.3 AMP

BENCHTOP SERIES PRODUCTS

MINI WOOD LATHE

- Variable speed control with current feedback maintains constant speed under load.
- 8" swing over bed allows for thick working pieces.

MATERIAL NUMBER	99177
DESCRIPTION	MINI WOOD LATHE
SPECIFICATIONS	750-3,200 RPM
	12" capacity
	2/5 HP

400 CFM AFS

- Disposable outer filter traps particles up to 5 microns.
- Inner filter captures particles as small as 1 micron.
- 4 eye bolts and rubber feet allow the unit to hang from the ceiling or sit atop the workbench.

MATERIAL NUMBER	99155
DESCRIPTION	400 CFM AFS
SPECIFICATIONS	1,700 RPM
	400 CFM

DRILL PRESSES

- 5 speeds to adapt to different projects.
- Tilting work table tilts up to 45 degrees both left and right for ease of use.
- XACTA later guide for ultimate accuracy in spotting drilling location.

MATERIAL NUMBER	99150	99170
DESCRIPTION	8" DRILL PRESS	10" DRILL PRESS
SPECIFICATIONS	5 speeds: 620-3100 RPM	5 speeds: 570-3050 RPM
	2.4 AMP	1/2 HP
	Tilting work table	Ball bearing induction motor
		Induction motor is quiet and reduces work noise.